



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Multifunctional Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aerosol - Lubricant and additive.

1.3. Details of the supplier of the safety data sheet

salely uala sheel	
ADDINOL Lube Oil GmbH	
Gebäude 4609	
Am Haupttor	
D-06237 Leuna	
+49 (0) 3461 845-201	Telefax: +49 (0) 3461 845-561
info@addinol.de	
Application Technology	
www.addinol.de	
ADDINOL Application Technology	
+49 (0) 3461 845-201 - This number is	serviced during office hours.
	ADDINOL Lube Oil GmbH Gebäude 4609 Am Haupttor D-06237 Leuna +49 (0) 3461 845-201 info@addinol.de Application Technology www.addinol.de ADDINOL Application Technology

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable R phrases: Extremely flammable. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking.

GHS classification

Hazard categories: Aerosol: Aerosol 1 Skin corrosion/irritation: Skin Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects. 2.2. Label elements Signal word: Danger Pictograms: GHS02-GHS07 Hazard statements H222 Extremely flammable aerosol. Revision No: 1,34

according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014	Product code: 717301	Page 2 of 11
H229	Pressurised container: May burst if heated.	
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statemen	ts	
P210	Keep away from heat. No Smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
Additional advice on lat	pelling	

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
203-448-7	butane	20 - 25 %
106-97-8	F+ - Extremely flammable R12	
601-004-00-0	Flam. Gas 1; H220	
265-184-9	Kerosine (petroleum), hydrodesulfurized, Kerosine - unspecified	15 - 20 %
64742-81-0	Xn - Harmful R65	
649-423-00-8	Asp. Tox. 1; H304	
925-653-7	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	15 - 20 %
64742-82-1	Xn - Harmful R52-53-65-66	
	Asp. Tox. 1, Aquatic Chronic 3; H304 H412	
01-2119458869-15		
919-164-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	< 15 %
64742-82-1	Xn - Harmful R52-53-65-66	
	Asp. Tox. 1, Aquatic Chronic 3; H304 H412	
200-827-9	propane	< 12,5 %
74-98-6	F+ - Extremely flammable R12	
601-003-00-5	Flam. Gas 1; H220	
926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	5 - 10 %
64742-47-8	Xn - Harmful R65-66	
	Asp. Tox. 1; H304	
01-2119456620-43		

Full text of R and H phrases: see Section 16.

Further Information

DMSO-Extrakt < 3 %, IP 346.



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 3 of 11

Concentration of PCBs < 1mg/kg.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move victim out of danger zone and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider.. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do not induce vomiting.

Rinse mouth thoroughly with water. Immediately get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Foam. Dry extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Carbon black.

Flammable. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

Additional information

Extinguishing materials should be selected according to the surrounding area. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not empty into drains or the aquatic environment.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 4 of 11

6.1. Personal precautions, protective equipment and emergency procedures

Guide people to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment. In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray into flames or ignition sources. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eye and clothing.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of dampness. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents. Material, rich in oxygen, oxidizing.

Further information on storage conditions

Recommended storage temperature: 10 - 30°C. Do not store at temperatures over: 50°C.

7.3. Specific end use(s)

Further information: refer to Technical Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 5 of 11

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
106-97-8	Aliphatic hydrocarbon gases, Alkanes (C1-C4), Butane	1000	-		TWA (8 h)	
		-	-		STEL (15 min)	
74-98-6	Aliphatic hydrocarbon gases, Alkanes (C1-C4), Propane	1000	-		TWA (8 h)	
		-	-		STEL (15 min)	

Additional advice on limit values

source:

8.2. Exposure controls



Appropriate engineering controls

Provide for sufficient ventilation and punctiform suction at critical points.

Protective and hygiene measures

Wash hands before breaks and at the end of work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Duration of wearing with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	gaseous
Colour:	light grey
Odour:	characteristic

Test method



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray					
Print date: 06.10.2014	Product code: 717301	Page 6 of 11			
Changes in the physical state					
Initial boiling point and boiling range:	< -20 °C				
Flash point:	< -20 °C	DIN EN ISO 2592			
Explosive properties In case of insufficient ventila	ation and/or through use, explosive/highly flammable m	nixtures may develop.			
Lower explosion limits:	0,6 vol. %				
Upper explosion limits:	10,8 vol. %				
Ignition temperature:	210 °C	DIN 51794			
Density (at 20 °C): Water solubility: (at 20 °C)	0,695 g/cm³ insoluble	DIN 51757			

not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable with proper care and handling.

10.2. Chemical stability

Viscosity / kinematic:

The product is chemically stable when handled and stored under normal conditions.

10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

10.5. Incompatible materials

Keep away from: Oxidizing agents. Material, rich in oxygen, oxidizing.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Carbon black.

Vapours may form explosive mixtures with air.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available

Mixture not tested.



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 7 of 11

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
106-97-8	butane				
	inhalative (4 h) gas	LC50	273000 ppm	Rat	GESTIS
64742-81-0	Kerosine (petroleum), hydrodesulfu	rized, Keros	sine - unspecified		
	oral	LD50	> 2000 mg/kg	Rat.	
	dermal	LD50	> 2000 mg/kg	Rabbit.	
	inhalative (4 h) vapour	LC50	5 mg/l	Rat.	
64742-82-1	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	oral	LD50	>5060 mg/kg	Rat.	OECD 401
	dermal	LD50	3400 mg/kg	Rabbit.	OECD 402
	inhalative (4 h) vapour	LC50	13,1 mg/l	Rat.	OECD 403
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
	oral	LD50	>5000 mg/kg	Rat.	OECD 401
	dermal	LD50	>2920 mg/kg	Rabbit.	OECD 402
64742-47-8	Hydrocarbons, C11-C14, n-alkanes	, isoalkanes	s, cyclics, <2% aro	matics	
	oral	LD50	>5000 mg/kg	Rat.	OECD 401
	dermal	LD50	>5000 mg/kg	Rabbit.	OECD 402
	inhalative (4 h) vapour	LC50	>20 mg/l	Rat.	OECD 403

Irritation and corrosivity

Irritant effect on the eye: Not an irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Sensitising effects

Evaluation: no danger of sensitization.

STOT-single exposure

Vapours may cause drowsiness and dizziness.

Severe effects after repeated or prolonged exposure

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

No data available

Mixture not tested.



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64742-82-1	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)					
	Acute fish toxicity	LC50	10-100 mg/l	96 h	Oncorhynchus mykiss	OECD 203
	Acute algae toxicity	ErC50	50-100 mg/l		Pseudokirchneriella subcapitata	OECD 201
	crustacea toxicity	NOEC	10-22 mg/l	2 d	Daphnia magna	OECD 202

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not empty into drains or the aquatic environment.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	2,89
74-98-6	propane	2,36

12.4. Mobility in soil

Product is easily volatile. Product is difficult to dissolve in water.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Must not be disposed of with domestic refuse. Do not empty into drains or the aquatic environment.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.

Contaminated packaging

Waste disposal according to official state regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F



according to Regulation (EC) No 1907/2006

	ADDINOL Multifunctional Spray	
Print date: 06.10.2014	Product code: 717301	Page 9 of 11
Special Provisions:	190 327 344 625	
Limited quantity:	1L	
Transport category:	2	
Tunnel restriction code:	D	
Other applicable information (land trans Quantities released: E0 Special provisions: 190 - 327 Transportation category: 2 Tunnel restriction code: B1D		
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2	
14.4. Packing group:	-	
Hazard label:	2.1	
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity:	1L	
Other applicable information (inland wat Quantities released: E0 Special provisions: 190 - 327		
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	<u>.</u>	
Hazard label:	2.1	
Special Provisions:	63, 190, 277, 327, 344, 959	
Limited quantity:	See SP277	
EmS:	F-D, S-U	
Other applicable information (marine tra Quantities released: E0 Special provisions: 63 - 190 -		
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:		
Hazard label:	2.1	



according to Regulation (EC) No 1907/2006

THE ART OF OIL SINCE 1936				
		ADDINOL Multifu	Inctional Spray	
Print date: 06.10.2	014	Product cod	e: 717301	Page 10 of 11
Special Provision		A145 A167 A802 30 kg G		
IATA-max. quai	nstructions - Passenger: ntity - Passenger: nstructions - Cargo: ntity - Cargo:		203 75 kg 203 150 kg	
Pa Qu Da	le information (air transp issenger LQ: Y203 iantities released: E0 inger: Y203 iecial provisions: A145 - A			
14.5. Environment	al hazards			
ENVIRONMEN	TALLY HAZARDOUS:	no		
14.6. Special prec	autions for user			
	arning: Flammable gases.			
14.7. Transport in	bulk according to Annex	II of MARPOL73/78 ar	<u>nd the IBC Code</u>	
no	t applicable			
SECTION 15: Ro	gulatory information			
		ulations/legislation sp	ecific for the substance or mixture	
EU regulatory i				
		97 % (604 65 all)		
1999/13/EC (VC		87 % (604,65 g/l)		
-	atory information			
Employment rea Water contamir		2 - water contaminat	nt restrictions for young people.	
15.2. Chemical sat				
		te for substances in this	s mixture were not carried out.	
	,			
SECTION 16: Ot	her information			
Full text of R p 12 52 52/53 53 65 66	May cause long-term Harmful: may cause lu	janisms.	ed.	ent.
Full text of H s H220 H222 H229 H304 H315	Pressurised of	mmable gas. mmable aerosol. container: May burst if h f swallowed and enters		

- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].



according to Regulation (EC) No 1907/2006

ADDINOL Multifunctional Spray

Print date: 06.10.2014

Product code: 717301

Page 11 of 11

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contructual relationship.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)