



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## ADDINOL Antifreeze Super

Print date: 03.02.2015

Product code: 796007

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ADDINOL Antifreeze Super

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Refrigerant.

#### 1.3. Details of the supplier of the safety data sheet

Company name: ADDINOL Lube Oil GmbH  
Gebäude 4609  
Street: Am Haupttor  
Place: D-06237 Leuna  
Telephone: +49 (0) 3461 845-201      Telefax: +49 (0) 3461 845-561  
e-mail: info@addinol.de  
Contact person: Application Technology  
Internet: www.addinol.de  
Responsible Department: ADDINOL Application Technology

#### 1.4. Emergency telephone number:

+49 (0) 3461 845-201 - This number is serviced during office hours.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Indications of danger: Xn - Harmful  
R phrases:  
Harmful if swallowed.

##### GHS classification

Hazard categories:  
Acute toxicity: Acute Tox. 4  
Reproductive toxicity: Repr. 1B  
Specific target organ toxicity - repeated exposure: STOT RE 2  
Hazard Statements:  
Harmful if swallowed.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

##### Hazardous components which must be listed on the label

Contains: Ethylene glycol.

Signal word: Danger  
Pictograms: GHS07-GHS08



##### Hazard statements

H302      Harmful if swallowed.  
H360FD      May damage fertility. May damage the unborn child.  
H373      May cause damage to organs through prolonged or repeated exposure.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ADDINOL Antifreeze Super**

Print date: 03.02.2015

Product code: 796007

Page 2 of 8

**Precautionary statements**

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P281	Use personal protective equipment as required.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P501	Dispose of contents/container to a waste disposal system.

**Additional advice on labelling**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

**2.3. Other hazards**

Harmful if swallowed.  
Spilled product must not leak into the ground.  
Do not allow uncontrolled leakage of product into the environment.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
203-473-3	Ethylene glycol	60 - 98 %
107-21-1	Xn - Harmful R22	
	Acute Tox. 4, STOT RE 2; H302 H373	
01-2119456816-28		
208-534-8	Sodium benzoate	< 5,00 %
532-32-1	Xi - Irritant R36	
	Eye Irrit. 2; H319	
01-2119460683-35		
215-540-4	Disodium tetraborate anhydrous	< 1,00 %
1330-43-4	Repr. Cat. 2 R60-61	
	Repr. 1B; H360FD	

Full text of R and H phrases: see Section 16.

**Further Information**

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider.. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm. In case of persistent complaints seek medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. Use skin protection ointment after cleaning. In case of skin irritation, seek medical treatment.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Antifreeze Super

Print date: 03.02.2015

Product code: 796007

Page 3 of 8

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do not induce vomiting.

Rinse mouth thoroughly with water. Immediately get medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Ingestion causes nausea, weakness and central nervous system effects. Following symptoms can occur: Dizziness. Headache. drowsiness. Disorientation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Atomized water.

##### **Unsuitable extinguishing media**

High power water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). ketone. aldehydes.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Extinguishing materials should be selected according to the surrounding area. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not empty into drains or the aquatic environment.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapour, dust, and aerosols. Avoid contact with skin, eye and clothing.

#### **6.2. Environmental precautions**

Do not empty into drains or the aquatic environment. In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the assimilated material according to the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Refer to the provisions listed in Sections 8, 12 and 13.

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep away from sources of ignition - No smoking. The following must be prevented: inhalation. Provide



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Antifreeze Super

Print date: 03.02.2015

Product code: 796007

Page 4 of 8

for sufficient ventilation and punctiform suction at critical points. Wear personal protection equipment.  
Avoid contact with skin, eye and clothing.

#### Advice on protection against fire and explosion

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.  
Take precautionary measures against static discharges. Only use anti-static equipped (spark-free) tools.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Never use pressure to empty container. Keep the packing dry and well sealed to prevent contamination and absorption of dampness.

##### Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents, strong.

##### Further information on storage conditions

Protect against: UV-radiation/sunlight. frost.  
Recommended storage temperature: 10 - 30°C

#### 7.3. Specific end use(s)

Further information: refer to Technical Data Sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1330-43-4	Disodium tetraborate, anhydrous	-	1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

##### Additional advice on limit values

source:

#### 8.2. Exposure controls



##### Appropriate engineering controls

Provide for sufficient ventilation and punctiform suction at critical points.

##### Protective and hygiene measures

Wash hands before breaks and at the end of work. Take off immediately all contaminated clothing.  
Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

##### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

##### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Antifreeze Super

Print date: 03.02.2015

Product code: 796007

Page 5 of 8

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Duration of wearing with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Respiratory protection

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	blue - green
Odour:	characteristic

pH-Value:	7,2
-----------	-----

#### Changes in the physical state

Initial boiling point and boiling range:	> 174 °C	
Flash point:	122 °C	DIN EN ISO 2592
Density (at 20 °C):	1,125 g/cm³	DIN 51757
Water solubility:	easily soluble.	
Viscosity / kinematic:	not applicable	

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable with proper care and handling.

### 10.2. Chemical stability

The product is chemically stable when handled and stored under normal conditions.

### 10.3. Possibility of hazardous reactions

No decomposition if used as intended.

### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### 10.5. Incompatible materials

Reacts with :Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). ketone. aldehydes.

## SECTION 11: Toxicological information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ADDINOL Antifreeze Super**

Print date: 03.02.2015

Product code: 796007

Page 6 of 8

**11.1. Information on toxicological effects****Acute toxicity**

No data available

Mixture not tested.

**ATEmix calculated**

ATE (oral) 526,3 mg/kg

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
107-21-1	Ethylene glycol				
	oral	ATE	500 mg/kg		

**Irritation and corrosivity**

Irritant effect on the skin: mild irritant.

Irritant effect on the eye: Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

**Sensitising effects**

Evaluation: no danger of sensitization.

**Severe effects after repeated or prolonged exposure**

No data available

**Carcinogenic/mutagenic/toxic effects for reproduction**

No data available

**Specific effects in experiment on an animal**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

Mixture not tested.

**12.2. Persistence and degradability**

Product is partially biodegradable.

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**12.6. Other adverse effects**

No data available

**Further information**

Do not empty into drains or the aquatic environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Must not be disposed of with domestic refuse. Do not empty into drains or the aquatic environment.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ADDINOL Antifreeze Super**

Print date: 03.02.2015

Product code: 796007

Page 7 of 8

**Waste disposal number of waste from residues/unused products**

- 160114 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08); antifreeze fluids containing dangerous substances  
Classified as hazardous waste.

**Contaminated packaging**

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.  
Waste disposal according to official state regulations. Packing which cannot be properly cleaned must be thrown away.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** -

**Inland waterways transport (ADN)**

**14.1. UN number:** -

**Marine transport (IMDG)**

**14.1. UN number:** -

**Air transport (ICAO)**

**14.1. UN number:** -

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable

**Other applicable information**

Not a hazardous material with respect to these transportation regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Full text of R phrases referred to under Sections 2 and 3**

- 22 Harmful if swallowed.  
36 Irritating to eyes.  
60 May impair fertility.  
61 May cause harm to the unborn child.

**Full text of H statements referred to under Sections 2 and 3**

- H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H360FD May damage fertility. May damage the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**ADDINOL Antifreeze Super**

Print date: 03.02.2015

Product code: 796007

Page 8 of 8

**Further Information**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contractual relationship.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*