according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Weapon Oil W 18 Spray

UFI: XRVP-WW52-J67W-JRFD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aerosol - Corrosion inhibitor

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

info@addinol.de E-mail: www.addinol.de Internet:

Responsible Department: ADDINOL Application Technology

Inverkehrbringer

Milispec International B.V. Company name:

Street: Huygensstraat 15

NL-2652 XK Berkel en Rodenrijs Place:

+31(0)10 440 09 80 Telephone: info@milispec.com E-mail: John van der Hoeven Contact person: E-mail: j.hoeven@milispec.com

+31(0)10 440 09 80 1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aerosol 1; H222-H229 Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

1-Decene, Dimer, hydrogenated Signal word: Danger

Pictograms:



Hazard statements

H222 Extremely flammable aerosol.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 2 of 13

H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | Chemical name | | |
|--------------|---|--------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regulation) | | | | |
| 106-97-8 | butane | | | 35 - 40 % | |
| | 203-448-7 | 601-004-00-0 | | | |
| | Flam. Gas 1, Liquefied gas; H220 H | 1280 | | | |
| 74-98-6 | propane | | | 15 - 20 % | |
| | 200-827-9 | 601-003-00-5 | | | |
| | Flam. Gas 1, Liquefied gas; H220 H | 1280 | | | |
| 68649-11-6 | 1-Decene, Dimer, hydrogenated | | | 10 - < 20 % | |
| | 500-228-5 | | 01-2119493069-28 | | |
| | Acute Tox. 4, Asp. Tox. 1; H332 H304 | | | | |
| 1474044-79-5 | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | | | | |
| | 939-717-7 | | 01-2119980985-16 | | |
| | Skin Irrit. 2, Eye Irrit. 2; H315 H319 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--------------|------------------|--|-------------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 68649-11-6 | 500-228-5 | 1-Decene, Dimer, hydrogenated | 10 - < 20 % |
| | | 0 = 900-5200 mg/l (vapours); inhalation: ATE = 4500 ppm (gases); dermal: LD50 ; oral: LD50 = > 5000 mg/kg | |
| 1474044-79-5 | 939-717-7 | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | < 2,5 % |
| | inhalation: LC5 | 0 = > 18 mg/l (vapours); oral: LD50 = 5 mg/kg | |

Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 3 of 13

General information

Remove affected person from the danger area and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Atomized water. Carbon dioxide (CO2). Extinguishing powder. Foam.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove persons to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 4 of 13

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent Material, rich in oxygen, oxidizing.

Further information on storage conditions

Recommended storage temperature: 5 - 40° C. Do not store at temperatures over: 50° C.

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|-----------|-----|-------|-----------|---------------|--------|
| 106-97-8 | Butane | 600 | 1450 | | TWA (8 h) | WEL |
| | | 750 | 1810 | | STEL (15 min) | WEL |

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 5 of 13

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|---|----------------|----------|-------------------------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 68649-11-6 | 1-Decene, Dimer, hydrogenated | | | | | |
| Worker DNEL | , acute | inhalation | systemic | 60 mg/m³ | | |
| Consumer DNEL, acute | | inhalation | systemic | 50 mg/m³ | | |
| 1474044-79- 5 | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | | | | | |
| Worker DNEL | , long-term | inhalation | systemic | 70 mg/m³ | | |
| Worker DNEL, long-term | | dermal | systemic | 10 mg/kg bw/day | | |
| Consumer DNEL, long-term | | dermal | systemic | 0,00032 mg/kg bw/day | | |
| Consumer DN | IEL, long-term | inhalation | systemic | 2,23 mg/m³ | | |

PNEC values

| CAS No | Substance | | |
|---|-------------|-------------|--|
| Environmenta | compartment | Value | |
| 1474044-79- Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | | | |
| | | | |
| Freshwater | | 0,004 mg/l | |
| Freshwater (intermittent releases) 0,002 | | 0,0027 mg/l | |
| Marine water | | 0,0004 mg/l | |
| Freshwater sediment | | 69 mg/kg | |
| Marine sedime | ent | 6,9 mg/kg | |
| Secondary poisoning | | 22,2 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l | |
| Soil | | 13,9 mg/kg | |

Additional advice on limit values

source:

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 6 of 13

Change gloves frequently under permanent contanct.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: gaseous
Colour: light yellow
Odour: characteristic
Odour threshold: not determined

Test method

Print date: 11.07.2024

Melting point/freezing point:

not determined

Boiling point or initial boiling point and < -20 °C

boiling range:

Flammability: not determined Lower explosion limits: 1,5 vol. % Upper explosion limits: 10,9 vol. %

Flash point: < -20 °C DIN EN ISO 2592

Auto-ignition temperature: 365 °C Decomposition temperature: not determined pH-Value: not applicable

Viscosity / kinematic: 17,6 mm²/s DIN 51562-1

(at 40 °C)

Water solubility: insoluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 20 °C): 0,653 g/cm³ calculated.

Relative vapour density:

Particle characteristics:

No data available

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

No data available

Other safety characteristics

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 7 of 13

Evaporation rate:

Softening point:

not determined

not applicable

Pour point:

-62 °C Di

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

10.5. Incompatible materials

Keep away from: Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation gas) 14954 ppm

| CAS No | Chemical name | | | | | | |
|------------------|---|---------------|-----------|---------|---------------------|---|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 68649-11-6 | 1-Decene, Dimer, hydrog | enated | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Study report (1988) | OECD Guideline 423 | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (1989) | OECD Guideline 402 | |
| | inhalation (4 h) vapour | LC50 mg/l | 900-5200 | Rat | Study report (1989) | OECD Guideline 402 | |
| | inhalation gas | ATE ppm | 4500 | | | | |
| 1474044-79- 5 | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | | | | | | |
| | oral | LD50 | 5 mg/kg | Rat | Study report (1978) | other: FHSLA, CFR, Title 21 J para. 191. | |
| | inhalation (1 h) vapour | LC50 | > 18 mg/l | Rat | Study report (1978) | other: FHSLA, CFR, Title 21 J para. 191. | |

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 8 of 13

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 9 of 13

| CAS No | Chemical name | | | | | | | |
|------------------|---------------------------|---------------|---------------|-----------|------------------------------------|--|---|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 106-97-8 | butane | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 49,9 | 96 h | Fish, no other information | United States Environmental Protection A | The Ecosar class program has been develo | |
| | Acute algae toxicity | ErC50 mg/l | 19,37 | 96 h | Algae | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | |
| | Acute crustacea toxicity | EC50 mg/l | 69,43 | 48 h | Daphnia sp. | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | |
| 74-98-6 | propane | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 49,9 | 96 h | Fish, no other information | United States Environmental Protection A | The Ecosar class program has been develo | |
| | Acute algae toxicity | ErC50 mg/l | 19,37 | 96 h | Algae | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | |
| | Acute crustacea toxicity | EC50 mg/l | 69,43 | 48 h | Daphnia sp. | USEPA OPPT Risk Assessment Division (200 | Calculation using ECOSAR Program v1.00. | |
| 1474044-79- 5 | Calcium bis(di C8-C10, bi | ranched, C9 | rich, alkylna | phthalen | esulphonate) | | | |
| | Acute fish toxicity | LC50 mg/l | 0,28 | 96 h | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 1,2 | 72 h | Pseudokirchneriella subcapitata | REACh Registration Dossier | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | >= 0,18 | 48 h | Daphnia magna | REACh Registration Dossier | OECD Guideline 202 | |
| | Crustacea toxicity | NOEC | 4,6 mg/l | 21 d | Daphnia magna | REACh Registration Dossier | OECD Guideline 211 | |

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|--------------|---|---------|
| 106-97-8 | butane | 1,09 |
| 74-98-6 | propane | 1,09 |
| 68649-11-6 | 1-Decene, Dimer, hydrogenated | > 6,5 |
| 1474044-79-5 | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | > 6,6 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------|---|------|---------|---------------------|
| | Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) | 3,16 | Fish | Study report (2013) |

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 10 of 13

water treatment plants.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity:1 LExcepted quantity:E0Transport category:2Tunnel restriction code:D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 11 of 13

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS14.3. Transport hazard class(es):2.1

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:

IATA-max. quantity - Passenger:

IATA-packing instructions - Cargo:

IATA-max. quantity - Cargo:

150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: flammable gases.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 40

Directive 2010/75/EU on industrial 59,5 % (388,535 g/l)

emissions:

Directive 2004/42/EC on VOC in 59,5 % (388,535 g/l)

paints and varnishes:

Information according to Directive P

2012/18/EU (SEVESO III):

P3a FLAMMABLE AEROSOLS

Additional information

according to UK REACH Regulation

ADDINOL Weapon Oil W 18 Spray

Revision date: 10.07.2024 Product code: 777010 Page 12 of 13

Please note: 850/2004/EC, 79/117/EEC, 689/2008/EC, 2008/47/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,5,7,9,10,11.

Abbreviations and acronyms

Flam. Gas: Flammable gases

Aerosol: Aerosols Liquefied gas

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Irrit: Eye irritation

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|----------------------|--------------------------|
| Aerosol 1; H222-H229 | On basis of test data |
| Asp. Tox. 1; H304 | |

Relevant H and EUH statements (number and full text)

| H220 | Extremely flammable gas. |
|------|------------------------------|
| H222 | Extremely flammable aerosol. |

H229 Pressurised container: May burst if heated.

Safety Data Sheet

according to UK REACH Regulation

| ADDINOL Weapon Oil W 18 Spray | | | | | |
|-------------------------------|---|---------------|--|--|--|
| Revision date: 10.07.2024 | Product code: 777010 | Page 13 of 13 | | | |
| H280 | Contains gas under pressure; may explode if heated. | | | | |
| H304 | May be fatal if swallowed and enters airways. | | | | |
| H315 | Causes skin irritation. | | | | |
| H319 | Causes serious eye irritation. | | | | |
| H332 | Harmful if inhaled. | | | | |
| Frontle en lasfe manestie a | | | | | |

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)