according to UK REACH Regulation

#### Revision date: 26.07.2023

ADDINOL WXA Spray Product code: 779019

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier ADDINOL WXA Spray

UFI:

F59N-6GEX-F77E-JNWV

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aerosol - Lubricating agent

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer Company name: ADDINOL Lube Oil GmbH Gebäude 4609 Am Haupttor Street: Place: D-06237 Leuna Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555 e-mail: info@addinol.de Contact person: Application Technology Internet: www.addinol.de **Responsible Department:** ADDINOL Application Technology Supplier Gidov Oil & Logistics Ltd. Company name: Street: 76 Cobham Road, Ferndown Industrial Estate GB-TN157DA Wrotham, Sevenoaks Kent Place: +44 7729229830 Telephone: Telefax: +44 7729229830 e-mail: sales@addinol.co.uk Internet: https://www.gidovlogistics.co.uk/ 1.4. Emergency telephone +44 7729229830 - This number is serviced during office hours. number:

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# 2.2. Label elements

**GB CLP Regulation** 

Signal word:

Pictograms:



Danger

# Hazard statements

H222 H229

P102

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### **Precautionary statements**

Keep out of reach of children.

according to UK REACH Regulation

ADDINOL WXA Spray Product code: 779019	Page 2 of 11
	1 490 2 01 11
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Do not spray on an open flame or other ignition source.	
Do not pierce or burn, even after use.	
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
Dispose of contents/container to an appropriate recycling or disposal facility.	
E	Product code: 779019 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

39 % by mass of the contents are flammable.

#### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

#### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Reg	gulation)				
8042-47-5	White mineral oil (petroleur	n), pharma grade		60 - < 80 %		
	232-455-8		01-2119487078-27			
		•				
106-97-8	butane	20 - < 40 %				
	203-448-7	601-004-00-0				
	Flam. Gas 1, Liquefied gas	; H220 H280				
74-98-6	propane			10 - < 20 %		
	200-827-9	601-003-00-5				
	Flam. Gas 1, Liquefied gas	; H220 H280				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. L	imits, M-factors and ATE			
8042-47-5	232-455-8	White mineral oil (petroleum), pharma grade	60 - < 80 %		
	inhalation: LC50 = > 5000 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

#### Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### according to UK REACH Regulation

#### **ADDINOL WXA Spray**

Revision date: 26.07.2023

Product code: 779019

Page 3 of 11

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Foam.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Flammable. Vapours may form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove persons to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

#### according to UK REACH Regulation

# ADDINOL WXA Spray

Revision date: 26.07.2023

Product code: 779019

Page 4 of 11

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### Further information on handling

People who suffer from asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C. Do not store at temperatures over: 50°C.

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

according to UK REACH Regulation

ADDINOL WXA Spray

Revision date: 26.07.2023

Product code: 779019

Page 5 of 11

#### **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
8042-47-5	White mineral oil (petroleum), pharma grade					
Worker DNEL, long-term		dermal	systemic	217,05 mg/kg bw/day		
Worker DNEL	, long-term	inhalation	systemic	164,56 mg/m³		
Consumer DNEL, long-term		dermal	systemic	93,02 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	34,78 mg/m³		
Consumer DN	EL, long-term	oral	systemic	25 mg/kg bw/day		

#### Additional advice on limit values

source:

#### 8.2. Exposure controls



# mp .

#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	gaseous
Colour:	colourless
Odour:	characteristic
Odour threshold:	not applicable

#### according to UK REACH Regulation

# **ADDINOL WXA Spray**

Revision date: 26.07.2023

# Product code: 779019

Page 6 of 11

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	< -20 °C	
Flammability:	not determined	
Lower explosion limits:	1,5 vol. %	
	10,9 vol. %	
Upper explosion limits:		
Flash point:		DIN EN ISO 2592
Auto-ignition temperature:	No data available	DIN 51794
Decomposition temperature:		
pH-Value:	not determined	
Viscosity / kinematic:	not applicable	
Water solubility:	insoluble	
(at 20 °C)		
Solubility in other solvents		
No data available	<b>N</b> I 17 <b>N</b> I 1	
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Density (at 20 °C): Relative vapour density:	0,710 g/cm³ No data available	DIN 51757
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
In case of insufficient ventilation and/or through use, explo	sive/highly flammable mixtures n	nay develop.
Self-ignition temperature		
Solid:	not determined	
Gas:	not determined	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Pour point:	No data available	
SECTION 10: Stability and reactivity		
10.1. Reactivity		

The product is stable under storage at normal ambient temperatures.

# 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

#### 10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

# 10.5. Incompatible materials

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

#### according to UK REACH Regulation

#### **ADDINOL WXA Spray**

Revision date: 26.07.2023

Product code: 779019

Page 7 of 11

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
8042-47-5	White mineral oil (petroleum), pharma grade					
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 2000	Rabbit	Study report (1987)	OECD Guideline 402
		LC50 > mg/l	> 5000	Rat		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

not applicable

#### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

# according to UK REACH Regulation

# **ADDINOL WXA Spray**

Revision date: 26.07.2023

Product code: 779019

Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
8042-47-5	White mineral oil (petrole	um), pharm	a grade					
	Acute fish toxicity	LL50 mg/l	> 10000		Leuciscus idus melanotus	Study report (1992)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 100	1	Pseudokirchneriella subcapitata	OECD 201		
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	Study report (2008)	OECD Guideline 202	
106-97-8	butane			-	•			
	Acute fish toxicity	LC50 mg/l	49,9		Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo	
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
74-98-6	propane							
	Acute fish toxicity	LC50 mg/l	49,9		Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo	
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	1,09
74-98-6	propane	1,09

# 12.4. Mobility in soil

Product is easily volatile. Product is difficult to dissolve in water.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

according to UK REACH Regulation

# **ADDINOL WXA Spray**

Revision date: 26.07.2023

Product code: 779019

Page 9 of 11

#### **Disposal recommendations**

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.


#### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

#### Contaminated packaging

Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**



# according to UK REACH Regulation

	ADDINOL WXA Spray Product code: 779019	Page 10 of 11
Excepted quantity:	E0	
EmS:	F-D, S-U	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group: Hazard label:	- 2.1	
Special Provisions:	A145 A167 A802	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y203	
Excepted quantity: IATA-packing instructions - Passenger:	E0 203	
IATA-packing instituctions - Passenger: IATA-max. quantity - Passenger:	203 75 kg	
IATA-packing instructions - Cargo:	203	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
<ul> <li>14.6. Special precautions for user Warning: flammable gases.</li> <li>14.7. Maritime transport in bulk according to</li> </ul>	o IMO instruments	
not applicable		
not applicable SECTION 15: Regulatory information		
SECTION 15: Regulatory information	ations/legislation specific for the substance or mixture	
SECTION 15: Regulatory information	ations/legislation specific for the substance or mixture	
SECTION 15: Regulatory information	ations/legislation specific for the substance or mixture	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII):	ations/legislation specific for the substance or mixture 40 % (284 g/L)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40		
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC):	40 % (284 g/L)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU	40 % (284 g/L) 40 % (284 g/L)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	40 % (284 g/L) 40 % (284 g/L)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	40 % (284 g/L) 40 % (284 g/L) P3a FLAMMABLE AEROSOLS	
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC , 79/117/EEC ,	40 % (284 g/L) 40 % (284 g/L) P3a FLAMMABLE AEROSOLS	nile
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC , 79/117/EEC , National regulatory information	40 % (284 g/L) 40 % (284 g/L) P3a FLAMMABLE AEROSOLS 689/2008/EC , 2008/47/EC, Aerosol Directive (75/324/) Observe restrictions to employment for juveniles according to the 'juve	nile
SECTION 15: Regulatory information 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 28, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information To follow: 850/2004/EC , 79/117/EEC , National regulatory information Employment restrictions:	40 % (284 g/L) 40 % (284 g/L) P3a FLAMMABLE AEROSOLS 689/2008/EC , 2008/47/EC, Aerosol Directive (75/324/) Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC).	nile

# Changes

This data sheet contains changes from the previous version in section(s): 1,5,6,7,9,10,12,15,16.

#### according to UK REACH Regulation

# **ADDINOL WXA Spray**

Revision date: 26.07.2023

Product code: 779019

Page 11 of 11

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials: ATE - Acute Toxicity Estimates: bw - Body weight: CAO -Cargo Aircraft Only: CAS - Chemical Abstracts Service: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID -Regulation concerning the International Carriage of Dangerous Goods by Rail: RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)