



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Chain Oil 15 FG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

For industrial purposes only.

1.3. Details of the supplier of the safety data sheet

Company name:	ADDINOL Lube Oil GmbH			
	Gebäude 4609			
Street:	Am Haupttor			
Place:	D-06237 Leuna			
Telephone:	+49 (0) 3461 845-201	Telefax: +49 (0) 3461 845-561		
e-mail:	info@addinol.de			
Contact person:	Application Technology			
Internet:	www.addinol.de			
Responsible Department:	ADDINOL Application Technology			
1.4. Emergency telephone	+49 (0) 3461 845-201 - This number is serviced during office hours.			

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Aspiration hazard: Asp. Tox. 1 Hazard Statements: May be fatal if swallowed and enters airways.

2.2. Label elements

Hazardous components which must be listed on the label Contains: 1-Decene, Dimer, hydrogenated.

Signal word:	
Pictograms:	

Danger GHS08



Hazard statements

H304

May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	

Additional advice on labelling

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 2 of 8

2.3. Other hazards

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Viscosity, kinematic: < 20.5 mm²/s (40°C)

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
500-228-5	1-Decene, Dimer, hydrogenated	< 25 %
68649-11-6	Xn - Harmful R20-65	
	Acute Tox. 4, Asp. Tox. 1; H332 H304	
279-632-6	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	< 1 %
80939-62-4	Xi - Irritant, N - Dangerous for the environment R36/38-51-53	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2; H315 H319 H411	
203-749-3	(Z)-N-Methyl-N-(1-oxo-9-octadecenyl)-glycerine	< 1 %
110-25-8	Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R20-38-41-50	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1 (M-Factor = 1); H332 H315 H318 H400	

Full text of R-, H- and EUH-phrases: see section 16.

Further Information

DMSO-Extrakt < 3 %, IP 346.

Concentration of PCBs < 1mg/kg.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 3 of 8

After ingestion

Do NOT induce vomiting. Give activated carbon, in order to reduce the resorption in the gastro-enteric tract. Call a physician immediately.

Caution if victim vomits: Risk of aspiration!

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Coughing. difficulties of breathing.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray. alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide.Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. carbon black

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist Avoid contact with skin, eye and clothing.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 4 of 8

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect against: UV-radiation/sunlight. frost.

Recommended storage temperature: 10 - 30°C

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m³ STEL: 10 mg/m³

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls



Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.



Test method

182 °C DIN EN ISO 2592

not determined

not determined

virtually insoluble

0,820 g/cm3 DIN 51757

15 mm²/s ASTM D 7042

GERMAN QUALITY

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 5 of 8

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow
Odour:	characteristic

Changes in the physical state

Initial boiling point and boiling range: Flash point:

Explosive properties

evaluation: not Explosive.

Ignition temperature: Density (at 15 °C): Water solubility: Viscosity / kinematic:

(at 40 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable with proper care and handling.

10.2. Chemical stability

The product is chemically stable when handled and stored under normal conditions.

10.3. Possibility of hazardous reactions

No decomposition if used as intended.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

10.5. Incompatible materials

Reacts with : Oxidizing agents, strong.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. carbon black

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available

Mixture not tested.



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 6 of 8

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
68649-11-6	1-Decene, Dimer, hydrogenated				
	oral	LD50	> 2000 mg/kg	Rat	
	dermal	LD50	> 2000 mg/kg	Rabbit	
	inhalative vapour	ATE	11 mg/l		
	inhalative aerosol	LC50	< 5,0 mg/l	Rat	
80939-62-4	Amines, C11-14-branched alkyl, mo	nohexyl and	dihexyl phosphat	es	
	oral	LD50	>2000 mg/kg	Rat	
110-25-8	(Z)-N-Methyl-N-(1-oxo-9-octadecenyl)-glycerine				
	oral	LD50	> 2000 mg/kg	Rat	
	inhalative vapour	ATE	11 mg/l		
	inhalative aerosol	ATE	1,5 mg/l		

Irritation and corrosivity

Irritant effect on the eye: Not an irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Sensitising effects

Evaluation: no danger of sensitization.

Severe effects after repeated or prolonged exposure

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

Specific effects in experiment on an animal

No data available

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

No data available

	Mixture not tested.						
CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
80939-62-4	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates						
	Acute fish toxicity	LC50	5,5 mg/l	96 h			
	Acute algae toxicity	ErC50	> 10 mg/l	96 h			
110-25-8	(Z)-N-Methyl-N-(1-oxo-9-octadecenyl)-glycerine						
	Acute fish toxicity	LC50	1,70 mg/l	96 h			
	Acute crustacea toxicity	EC50	0,68 mg/l	48 h			

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 7 of 8

No data available

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Waste disposal number of waste from residues/unused products

OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils
Classified as hazardous waste.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

Inland waterways transport (ADN)

14.1. UN number:

Marine transport (IMDG)

14.1. UN number:

Air transport (ICAO)

14.1. UN number:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating



according to Regulation (EC) No 1907/2006

ADDINOL Chain Oil 15 FG

Print date: 17.04.2015

Product code: 766050

Page 8 of 8

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Relevant R-phrases (Number and full text)

- 20 Harmful by inhalation. 36/38 Irritating to eves and skin. 38 Irritating to skin. 41 Risk of serious damage to eyes. 50 Very toxic to aquatic organisms. 51 Toxic to aquatic organisms. 53 May cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. 65 Relevant H- and EUH-phrases (Number and full text) May be fatal if swallowed and enters airways. H304 H315
 - H315 Causes skin irritation. H318 Causes serious eve damage.
 - H319 Causes serious eye damage.
 - H319 Causes serious eye initation H332 Harmful if inhaled.
 - H400 Very toxic to aquatic life.
 - H411 Toxic to aquatic life with long lasting effects.

Further Information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contructual relationship.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)