according to UK REACH Regulation

| ADDINOL Ecosynth Flange Grease G | ADDINOL | Ecosy | nth F | lange | Grease | G |
|----------------------------------|---------|-------|-------|-------|--------|---|
|----------------------------------|---------|-------|-------|-------|--------|---|

Revision date: 17.01.2025

Product code: 717234

Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ADDINOL Ecosynth Flange Grease G

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

|    | mananacturci            |  |                               |
|----|-------------------------|--|-------------------------------|
|    | Company name:           | ADDINOL Lube Oil GmbH<br>Gebäude 4609        |                               |
|    | Street:                 | Am Haupttor                                  |                               |
|    | Place:                  | D-06237 Leuna                                |                               |
|    | Telephone:<br>E-mail:   | +49 (0) 3461 845-0<br>info@addinol.de        | Telefax: +49 (0) 3461 845-555 |
|    | Contact person:         | Application Technology                       |                               |
|    | Internet:               | www.addinol.de                               |                               |
|    | Responsible Department: | ADDINOL Application Technology               |                               |
|    | Supplier                |  |                               |
|    | Company name:           | Gidov Oil & Logistics Ltd.                   |                               |
|    | Street:                 | 76 Cobham Road, Ferndown Industrial Estate   |                               |
|    | Place:                  | GB-TN157DA Wrotham, Sevenoaks Kent           |                               |
|    | Telephone:              | +44 7729229830                               | Telefax: +44 7729229830       |
|    | E-mail:                 | sales@addinol.co.uk                          |                               |
|    | Internet:               | https://www.gidovlogistics.co.uk/            |                               |
| 1. | 4. Emergency telephone  | +44 7729229830 - This number is serviced dur | ing office hours.             |
|    |                         |  |                               |

#### number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

#### 2.2. Label elements

### GB CLP Regulation

#### Special labelling of certain mixtures

EUH208Contains Zinc naphthenate. May produce an allergic reaction.EUH210Safety data sheet available on request.

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### 2.3. Other hazards

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 2 of 9

#### **Relevant ingredients**

| CAS No     | Chemical name                        |  |          | Quantity |  |
|------------|--------------------------------------|--|----------|----------|--|
|            | EC No                                | Index No   | REACH No |          |  |
|            | Classification (GB CLP Regulation)   |  |          |          |  |
| 12001-85-3 | Zinc naphthenate                     | Zinc naphthenate   |          |          |  |
|            | 234-409-2                            |  |          |          |  |
|            | Eye Irrit. 2, Skin Sens. 1B, Aquatic | Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H319 H317 H411 |          |          |  |

Full text of H and EUH statements: see section 16.

| Specific Conc. Limits, M-factors and ATE |                |                           |               |  |  |
|--|----------------|---------------------------|---------------|--|--|
| CAS No                                   | EC No          | Chemical name             | Quantity      |  |  |
|  | Specific Conc. | Limits, M-factors and ATE |               |  |  |
| 12001-85-3                               | 234-409-2      | Zinc naphthenate          | 0.3 - < 0.5 % |  |  |
|  | oral: LD50 = > | 2000 ma/ka                |               |  |  |

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. Avoid contact with skin, eyes and clothes.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# **<u>4.3. Indication of any immediate medical attention and special treatment needed</u> First Aid, decontamination, treatment of symptoms.**

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Sand. Water spray. Foam.

#### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 3 of 9

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent

#### Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

# 7.3. Specific end use(s)

Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 4 of 9

# **DNEL/DMEL** values

| CAS No       | Substance        |                |          |                  |
|--------------|------------------|----------------|----------|------------------|
| DNEL type    |                  | Exposure route | Effect   | Value            |
| 12001-85-3   | Zinc naphthenate |                | -        |                  |
| Worker DNEL, | long-term        | inhalation     | systemic | 1,18 mg/m³       |
| Worker DNEL, | long-term        | dermal         | systemic | 3,3 mg/kg bw/day |
| Consumer DNE | EL, long-term    | inhalation     | systemic | 0,29 mg/m³       |
| Consumer DNE | EL, long-term    | dermal         | systemic | 1,7 mg/kg bw/day |

**PNEC** values

| CAS No   | Substance                 |             |  |
|--|---------------------------|-------------|--|
| Environmenta                                     | Environmental compartment |             |  |
| 12001-85-3                                       | Zinc naphthenate          |             |  |
| Freshwater                                       |                           | 0,004 mg/l  |  |
| Freshwater (intermittent releases)               |                           | 0,04 mg/l   |  |
| Marine water                                     |                           | 0 mg/l      |  |
| Freshwater sediment                              |                           | 0,015 mg/kg |  |
| Marine sediment                                  |                           | 0,002 mg/kg |  |
| Micro-organisms in sewage treatment plants (STP) |                           | 0,6897 mg/l |  |
| Soil   |                           | 0,001 mg/kg |  |

### Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### 8.2. Exposure controls





#### Appropriate engineering controls

No special measures are necessary.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

# Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

# Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 5 of 9

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

| Physical state:                                   | Paste          |                                   |                      |
|---|----------------|-----------------------------------|----------------------|
| Colour:   | black          |                                   |                      |
| Odour:  | characteristic |                                   |                      |
| Odour threshold:                                  | not determined |                                   |                      |
|   |                |                                   | Test method          |
| Melting point/freezing point:                     |                | > 100 °C                          |                      |
| Boiling point or initial boiling point and        |                | > 250 °C                          |                      |
| boiling range:                                    |                |                                   |                      |
| Flammability:                                     |                | No data available                 |                      |
| Lower explosion limits:                           |                | No data available                 |                      |
| Upper explosion limits:                           |                | No data available                 |                      |
| Flash point:                                      |                |                                   | DIN EN ISO 2592      |
| Auto-ignition temperature:                        |                | No data available                 |                      |
| Decomposition temperature:                        |                | No data available                 |                      |
| pH-Value:   |                | not applicable                    |                      |
| Viscosity / kinematic:                            |                | 25 mm²/s                          | DIN 51562 - Base oil |
| (at 40 °C)  |                | , sinte a lla sina a la della     |                      |
| Water solubility:<br>Solubility in other solvents |                | virtually insoluble               |                      |
| No data available                                 |                |                                   |                      |
| Partition coefficient n-octanol/water:            |                | No data available                 |                      |
| Vapour pressure:                                  |                | No data available                 |                      |
| Density (at 20 °C):                               |                | 0,940 g/cm <sup>3</sup>           | DIN 51757            |
| Relative vapour density:                          |                | No data available                 |                      |
| Particle characteristics:                         |                | No data available                 |                      |
| 9.2. Other information                            |                |                                   |                      |
| Information with regard to physical haz           | ard classes    |                                   |                      |
| Explosive properties                              |                |                                   |                      |
| evaluation: not Explosive.                        |                |                                   |                      |
| Self-ignition temperature                         |                |                                   |                      |
| Solid:  |                | incapable of spontaneous heating. |                      |
| Gas:  |                | No data available                 |                      |
| Oxidizing properties<br>No data available         |                |                                   |                      |
|   |                |                                   |                      |
| Other safety characteristics                      |                |                                   |                      |
| Evaporation rate:                                 |                | No data available                 |                      |
| SECTION 10: Stability and reactivity              |                |                                   |                      |

# 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 6 of 9

### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulphur dioxide (SO2).. carbon black.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name    |                      |         |                     |                    |  |  |
|------------|------------------|----------------------|---------|---------------------|--------------------|--|--|
|            | Exposure route   | Dose                 | Species | Source              | Method             |  |  |
| 12001-85-3 | Zinc naphthenate |                      |         |                     |                    |  |  |
|            | oral             | LD50 > 2000<br>mg/kg | Rat     | Study report (2018) | OECD Guideline 423 |  |  |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met. Contains Zinc naphthenate. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

not applicable

# Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### **SECTION 12: Ecological information**

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 7 of 9

#### 12.1. Toxicity

Based on available data, the classification criteria are not met. No data available

### Mixture not tested.

| CAS No     | Chemical name            |                  |          |           |  |  |                       |
|------------|--------------------------|------------------|----------|-----------|--|--|-----------------------|
|            | Aquatic toxicity         | Dose             |          | [h]   [d] | Species  | Source   | Method                |
| 12001-85-3 | Zinc naphthenate         | Zinc naphthenate |          |           |  |  |                       |
|            | Acute fish toxicity      | LL50<br>mg/l     | > 100    | 96 h      | Cyprinus carpio  | REACh<br>Registration<br>Dossier               | OECD Guideline<br>203 |
|            | Acute algae toxicity     | ErC50            | 4 mg/l   | 72 h      | Pseudokirchneriella<br>subcapitata                       | REACh<br>Registration<br>Dossier               | OECD Guideline<br>201 |
|            | Acute crustacea toxicity | EL50             | 35 mg/l  | 48 h      | Daphnia magna  | REACh<br>Registration<br>Dossier               | OECD Guideline<br>202 |
|            | Acute bacteria toxicity  | EC50<br>()       | 5,2 mg/l |           | activated sludge of a<br>predominantly<br>domestic sewag | Water research<br>volume 17, nr10,<br>1363-136 | OECD Guideline<br>209 |

# 12.2. Persistence and degradability

Product is biodegradable.

#### 12.3. Bioaccumulative potential

No data available

# Partition coefficient n-octanol/water

| CAS No     | Chemical name    | Log Pow |
|------------|------------------|---------|
| 12001-85-3 | Zinc naphthenate | 0,8     |

#### BCF

| CAS No     | Chemical name    | BCF   | Species       | Source               |
|------------|------------------|-------|---------------|----------------------|
| 12001-85-3 | Zinc naphthenate | 69,48 | Capoeta fusca | Water Qual Expo Heal |

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No data available

# Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 8 of 9

#### List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

# Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

| 14.1. UN number or ID number:        | - |
|--------------------------------------|---|
| 14.2. UN proper shipping name:       | - |
| 14.3. Transport hazard class(es):    | - |
| 14.4. Packing group:                 | - |
| Inland waterways transport (ADN)     |   |
| 14.1. UN number or ID number:        | - |
| 14.2. UN proper shipping name:       | - |
| 14.3. Transport hazard class(es):    | - |
| 14.4. Packing group:                 | - |
| Marine transport (IMDG)              |   |
| <u>14.1. UN number or ID number:</u> | - |
| 14.2. UN proper shipping name:       | - |
| 14.3. Transport hazard class(es):    | - |
| 14.4. Packing group:                 | - |
| Air transport (ICAO-TI/IATA-DGR)     |   |
| 14.1. UN number or ID number:        | - |
| 14.2. UN proper shipping name:       | - |
| 14.3. Transport hazard class(es):    | - |
| 14.4. Packing group:                 | - |
| 14.5. Environmental hazards          |   |
|                                      |   |

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# Other applicable information

No dangerous good in sense of these transport regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| EU regulatory information                               |  |
|---|--|
| Directive 2004/42/EC on VOC in<br>paints and varnishes: | < 3 %  |
| National regulatory information                         |  |
| Water hazard class (D):                                 | 1 - slightly hazardous to water                  |
| 15.2. Chemical safety assessment                        |  |
| Chemical safety assessments for s                       | substances in this mixture were not carried out. |

according to UK REACH Regulation

# **ADDINOL Ecosynth Flange Grease G**

Revision date: 17.01.2025

Product code: 717234

Page 9 of 9

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3,5,6,7,8,9,10,12,15.

# Abbreviations and acronyms

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials: ATE - Acute Toxicity Estimates: bw - Body weight: CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Relevant H and EUH statements (number and full text)

| H317   | May cause an allergic skin reaction.                         |
|--------|--|
| H319   | Causes serious eye irritation.                               |
| H411   | Toxic to aquatic life with long lasting effects.             |
| EUH208 | Contains Zinc naphthenate. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request.                      |

#### **Further Information**

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)